

ANALOGS FOR ARCTIC FORECASTING

R. Thoman, B. Brettschneider, J. Walsh, N. Kettle

Alaska Center for Climate Assessment and Policy

@ International Arctic Research Center on the UAF Troth Yeddha' Campus








Lightning Points


- 1. Seasonal scale dynamic climate models struggle at high latitude
- Analog outlooks system developed using NCEP/NCAR Reanalysis (R1)
- 3. Temperature outlooks as good or better than dynamic models at high latitudes





ANALOG FORECAST SYSTEM

- NCEP/NCAR R1 Reanalysis data are used to generate historical matches
- Multiple variables, antecedent months, and spatial domain can be specified in analog selection
- Pattern matches are based on root mean square error







Arctic Focused Example

Aug-Oct Forecast Using Mar-May for Matches

ASO 2020 Analogs Forecast




ASO 2020 Actual Temps






COMPARISON WITH DYNAMICAL FORECAST MODELS

- % of months (2012-2019) in which better forecast is produced by Analogs (blue) vs NMME dynamical models (orange)
- Analog system outperformed dynamical models in the Arctic, underperformed in the middle latitudes
- Analogs improvements especially noted in late summer and early autumn







An Analog Method for Seasonal Forecasting in Northern High Latitudes. Walsh, J.E., et. al. 2021. *Atmospheric and Climate Sciences*, *11*(3), pp.469-485.



DOI: 10.4236/acs.2021.113028

EMAIL ADDRESS


rthomant@alaska.edu

WEBSITES

accap.uaf.edu iarc.uaf.edu

SOCIAL MEDIA

Twitter ► @IARC_Alaska







This work was supported by the NOAA Climate Program Office (NA15OAR4310169 and NA16AR4310162) as well as the International Arctic Research Center's (IARC) Experimental Arctic Prediction Initiative (EAPI).